

# CSS Links

Topics : [CSS](#)

Written on [March 23, 2021](#)

CSS Links can be styled with any CSS property like color, background, font-size, font-family, border etc.

Links can be styled as per as links states.

CSS Links properties are as below according to four states.

1. a:link - a normal, unvisited hyperlinks.
2. a:visited - user has visited hyperlinks.
3. a:hover - a link when the user mouses over it
4. a:active - user has clicked hyperlinks.

**Syntax :**

```
<style type = "text/css">
  a:link {}
  a:visited {}
  a:hover {}
  a:active {}
</style>
```

**Set the Color of unvisited, visited ,mouses overed hyperlinks:**

```
<html>
<head>
<title>Learn Css hyperlinks tutorials by aryatechno</title>
  <style type = "text/css">
  a:link { color:#0000FF;}
  a:visited { color:#333333;}
  a:hover { color:#FFFF00;}
  a:active { color:#FF0000;}
</style>
</head>
<body>
<p> <a href="">PHP</a> </p>
<p> <a href="">CSS</a> </p>
<p> <a href="">JAVA</a> </p>
<p> <a href="">C# NET</a> </p>
</body>
</html>
```

### Set the background color to hyperlinks:

The background-color property can be used to specify a background color for links as per as below example.

```
<html>
<head>
<title>Learn Css hyperlinks tutorials by aryatechno</title>
  <style type = "text/css">
    a:link { background-color:#FF0000; height:35px; width:150px;}
  </style>
</head>
<body>
<p> <a href="" style="">PHP</a> </p>
<p> <a href="">CSS</a> </p>
</body>
</html>
```

**Output :**

[PHP](#)

[CSS](#)

### Set the border to hyperlinks:

The border property can be used to specify a border for links as per as below example.

```
<html>
<head>
<title>Learn Css hyperlinks tutorials by aryatechno</title>
  <style type = "text/css">
    a:link { border:solid 1px #FF0000; height:35px; width:190px;}
  </style>
</head>
<body>
<p> <a href="" style="">PHP</a> </p>
<p> <a href="">CSS</a> </p>
</body>
</html>
```

**Output :**

[PHP](#)

[CSS](#)

### Set Text Decoration to hyperlinks:

The text-decoration property is used to remove underlines from links as per as below example.

```
<html>
<head>
<title>Learn Css hyperlinks tutorials by aryatechno</title>
```

```
<style type = "text/css">
a:link { text-decoration: none;}
</style>
</head>
<body>
<p> <a href="">PHP</a> </p>
<p> <a href="">CSS</a> </p>
</body>
</html>
```

**Output :**

[PHP](#)

[CSS](#)

© Copyright **Aryatechno**. All Rights Reserved. Written tutorials and materials by [Aryatechno](#)

ARYATECHNO