

PHP ksort() Function

Topics : [PHP Functions](#)

Written on [May 01, 2021](#)

PHP ksort() Function is used to sort associative array in ascending order according to the key. An ksort() function is built-in function in PHP.

Syntax :

```
ksort(array $array , $sort_type = SORT_REGULAR);
```

Parameter,

\$array : Required. It is input array.

\$sort_type : Optional. \$sort_type may be used to modify the sorting behavior using below values.

1. SORT_REGULAR - Default. Compare items normally (don't change types).
2. SORT_NUMERIC - Compare items numerically.
3. SORT_STRING - Compare items as strings.
4. SORT_LOCALE_STRING - Compare items as strings that based on current locale.
5. SORT_NATURAL - Compare items as strings using natural ordering.
6. SORT_FLAG_CASE - It can be combined with SORT_STRING or SORT_NATURAL to sort strings case-insensitively.

Return Values :

It returns true on success or false on failure. A ksort() Function sorts an associative array in ascending order according to the key.

Let's see below example to understand php ksort() Function in details.

Example :

```
<?php
$page= array("jacky"=>37,"nile"=>47,"dirgh"=>25,"walker"=>56,"arya"=>"15");
echo "<br><br>A ksort() Function sorts an associative array according to key in ascending
order<br>";
ksort($page);
foreach($page as $key => $value)
{
```

```
echo "<br/> <b>Key :</b> $key ; <b>Value :</b> $value";  
}  
?>
```

© Copyright **Aryatechno**. All Rights Reserved. Written tutorials and materials by [Aryatechno](#)

ARYATECHNO