

PHP in_array() Function

Topics : [PHP Functions](#)

Written on [May 01, 2021](#)

PHP in_array() Function is used to check that a value exists in an array. An in_array() function is built-in function in PHP.

Syntax :

```
in_array(mixed $search, array $array, bool $strict = false);
```

Parameter,

\$search : Required. It is value for searching in array.

\$array : Required. It is input array.

\$strict : Optional. Default value is false. If it is true then the in_array() function will also check the data types of the search value in an array.

Return Values :

It returns true if searched value is found in the array otherwise false.

Let's see below example to understand php in_array() Function in details.

Example :

```
<?php
echo "<br><br> Check value exists in array where strict is false.";
$tutorials = array("JAVA", ".NET", "Wordpress", "Centos","Drupal");
if (in_array("Centos", $tutorials)) {
    echo "<br>It is available";
}else{
    echo "<br>It is not available";
}

if (in_array("PHP", $tutorials)) {
    echo "<br>It is available";
}else{
    echo "<br>It is not available";
}
```

```
}  
echo "<br><br> Check value exists in array where strict is true."  
$num = array('2.40', 23.7, 3.77);  
  
if (in_array('23.7', $num, true)) {  
echo "<br>'23.7' is found with strict check\n";  
}  
  
if (in_array(2.40, $num, true)) {  
echo "<br>2.40 is found with strict check\n";  
}  
if (in_array(3.77, $num, true)) {  
echo "<br>3.77 is found with strict check\n";  
}  
?>
```

© Copyright **Aryatechno**. All Rights Reserved. Written tutorials and materials by [Aryatechno](#)