

Vue.js Emits

Topics : [Vue](#)

Written on [January 11, 2024](#)

In Vue.js, the `emit` method is used to allow child components to communicate with their parent components by triggering custom events. This mechanism is useful when a child component needs to notify its parent about an event or send data to the parent component.

Here's an overview of how to use `emit` in Vue.js:

Child Component Emits an Event:

1. Child Component (`ChildComponent.vue`):

```
<template>
<button @click="sendMessage">Send Message to Parent</button>
</template>

<script>
export default {
  methods: {
    sendMessage() {
      // Emitting a custom event named 'message'
      this.$emit('message', 'Hello from child!');
    }
  }
};
</script>
```

In this example, when the button is clicked, the `sendMessage` method is called, and it emits a custom event named `'message'` using `this.$emit('message', 'Hello from child!')`. The second argument is optional and represents additional data that can be sent with the event.

Parent Component Listens to the Event:

2. Parent Component:

```
<template>
<div>
<child-component @message="handleMessage"></child-component>
```

```
<p>Received Message: {{ receivedMessage }}</p>
</div>
</template>
```

```
<script>
import ChildComponent from './ChildComponent.vue';

export default {
  components: {
    'child-component': ChildComponent
  },
  data() {
    return {
      receivedMessage: ''
    };
  },
  methods: {
    handleMessage(message) {
      // Handling the custom event and updating the data in the parent component
      this.receivedMessage = message;
    }
  }
};
</script>
```

In the parent component, the `child-component` is used, and it listens for the custom event named `'message'` using `@message="handleMessage"`. When the `'message'` event is emitted by the child component, the `handleMessage` method in the parent component is called, and it updates the `receivedMessage` data property.

Passing Data with the Event:

You can pass additional data along with the emitted event. In the child component:

```
this.$emit('message', { text: 'Hello from child!', timestamp: Date.now() });
```

In the parent component:

```
<child-component @message="handleMessage"></child-component>
```

```
<script>
methods: {
  handleMessage(data) {
    console.log(data.text); // 'Hello from child!'
    console.log(data.timestamp); // Timestamp when the event was emitted
  }
}
</script>
```

Using v-on Directive:

You can also use the `v-on` directive as a shorthand for `@` when listening to events:

```
<child-component v-on:message="handleMessage"></child-component>
```

© Copyright **Aryatechno**. All Rights Reserved. Written tutorials and materials by [Aryatechno](#)

ARYATECHNO