

Working with files and directories

Topics : [Centos Server](#)

Written on [March 05, 2024](#)

Working with files and directories is a fundamental aspect of managing a CentOS system. Here are some common tasks you might perform:

1. Navigating the File System:

- Use the `cd` command to change directories. For example:

```
cd /path/to/directory
```

- Use the `pwd` command to print the current working directory.

2. Listing Files and Directories:

- Use the `ls` command to list files and directories in the current directory. For example:

```
ls
```

- Use options like `-l` for a detailed list, `-a` to show hidden files, and `-h` for human-readable file sizes.

3. Creating Files and Directories:

- Use the `touch` command to create an empty file. For example:

```
touch filename
```

- Use the `mkdir` command to create a new directory. For example:

```
mkdir directoryname
```

4. Copying, Moving, and Renaming Files:

- Use the `cp` command to copy files. For example:

```
cp sourcefile destination
```

- Use the `mv` command to move or rename files. For example:

```
mv oldname newname
```

5. Removing Files and Directories:

- Use the `rm` command to remove files. For example:

```
rm filename
```

- Use the `rmdir` command to remove empty directories. For example:

```
rmdir directoryname
```

- Use the `rm -r` command to remove directories and their contents recursively. Be cautious with this command, as it can delete files and directories permanently.

6. Viewing File Contents:

- Use the `cat` command to display the contents of a file. For example:

```
cat filename
```

- Use the `less` command to view long files one page at a time. For example:

```
less filename
```

7. Editing Files:

- Use text editors like `nano`, `vim`, or `emacs` to edit files. For example:

```
nano filename
```

This will open the file in the `nano` text editor, where you can make changes and save them.

8. Searching for Files:

- Use the `find` command to search for files and directories based on various criteria. For example:

```
find /path/to/search -name "filename"
```

- Use the `grep` command to search within files for specific patterns. For example:

```
grep "pattern" filename
```

9. Changing File Permissions and Ownership:

- Use the `chmod` command to change file permissions. For example:

```
chmod u+x filename
```

- Use the `chown` command to change file ownership. For example:

```
chown username:groupname filename
```

ARYATECHNO