

PHP MCQs - 6

Topics : [PHP](#)

Written on [March 18, 2024](#)

51. What is the purpose of the `glob()` function in PHP?

- A) Converts a string to lowercase
- B) Searches for files matching a specified pattern
- C) Parses a URL
- D) Encodes data using MIME base64

Answer: B) Searches for files matching a specified pattern

52. What is the output of the following code snippet?

```
$str = "Hello World";  
echo strpos($str, "World");
```

- A) 0
- B) 5
- C) 6
- D) -1

Answer: B) 6

53. Which of the following PHP functions is used to retrieve the current timestamp?

- A) `now()`
- B) `timestamp()`
- C) `time()`
- D) `current_time()`

Answer: C) `time()`

54. What is the purpose of the `substr()` function in PHP?

- A) Converts a string to uppercase
- B) Truncates a string to a specified length
- C) Reverses the characters in a string
- D) Searches for a substring within a string

Answer: B) Truncates a string to a specified length

55. Which of the following is used to start a session in PHP?

- A) start_session()
- B) session_start()
- C) new_session()
- D) begin_session()

Answer: B) session_start()

56.

What is the output of the following code snippet?

```
$arr = [1, 2, 3, 4, 5];  
echo array_sum($arr);
```

- A) 15
- B) 10
- C) 5
- D) Error

Answer: A) 15

57. Which of the following PHP functions is used to send an email?

- A) mail()
- B) send_mail()
- C) email_send()
- D) smtp_send()

Answer: A) mail()

58. What does the implode() function in PHP do?

- A) Splits a string into an array
- B) Joins elements of an array into a string
- C) Reverses the characters in a string
- D) Removes whitespace from the beginning and end of a string

Answer: B) Joins elements of an array into a string

59. What is the purpose of the json_encode() function in PHP?

- A) Converts a JSON string into an object
- B) Encodes a PHP variable into a JSON string
- C) Decodes a JSON string into an array
- D) Removes whitespace from the beginning and end of a string

Answer: B) Encodes a PHP variable into a JSON string

60. Which of the following PHP functions is used to redirect the user to another URL?

- A) redirect()
- B) header()
- C) location()
- D) goto()

Answer: B) header()

© Copyright **Aryatechno**. All Rights Reserved. Written tutorials and materials by [Aryatechno](#)

ARYATECHNO