

PHP MCQs - 8

Topics : [PHP](#)

Written on [March 18, 2024](#)

71. What is the purpose of the `array_search()` function in PHP?

- A) Searches for a value in an array and returns its key
- B) Searches for a key in an array and returns its value
- C) Reverses the order of elements in an array
- D) Checks if a value exists in an array

Answer: A) Searches for a value in an array and returns its key

72. What is the output of the following code snippet?

```
$str = "Hello"; echo strtoupper($str);
```

- A) hello
- B) Hello
- C) HELLO
- D) Error

Answer: C) HELLO

73. Which of the following PHP functions is used to remove elements from the end of an array?

- A) `array_pop()`
- B) `array_push()`
- C) `array_shift()`
- D) `array_unshift()`

Answer: A) array_pop()

74. What is the purpose of the `parse_str()` function in PHP?

- A) Parses a URL
- B) Parses query string into variables
- C) Parses JSON string into an array
- D) Parses XML string into an object

Answer: B) Parses query string into variables

75. Which of the following is used to access the first character of a string in PHP?

- A) \$string[0]
- B) \$string(0)
- C) substr(\$string, 0, 1)
- D) substr(\$string, 1, 0)

Answer: A) \$string[0]

76. What is the output of the following code snippet?

```
$a = 5;  
$b = 10;  
echo "The sum of $a and $b is " . ($a + $b);
```

- A) The sum of 5 and 10 is 15
- B) The sum of \$a and \$b is 15
- C) The sum of 5 and 10 is \$a + \$b
- D) Error

Answer: A) The sum of 5 and 10 is 15

77. Which of the following PHP functions is used to sort an array in ascending order?

- A) sort()
- B) rsort()
- C) asort()
- D) ksort()

Answer: A) sort()

78. What is the purpose of the json_decode() function in PHP?

- A) Converts a JSON string into an array
- B) Converts an array into a JSON string
- C) Encodes data using MIME base64
- D) Parses a URL

Answer: A) Converts a JSON string into an array

79. What is the output of the following code snippet?

```
$str = "Hello, World!";  
echo str_replace("World", "PHP", $str);
```

- A) Hello, PHP!
- B) PHP, World!
- C) Hello, World!
- D) Error

Answer: A) Hello, PHP!

80. Which of the following PHP functions is used to generate a random number?

- A) random()
- B) rand()
- C) random_number()
- D) generate_random()

Answer: B) rand()

© Copyright **Aryatechno**. All Rights Reserved. Written tutorials and materials by [Aryatechno](#)