

Node JS MCQs - 6

Topics : [Node js](#)

Written on [March 18, 2024](#)

51. In Express.js, what is the purpose of the `res.redirect()` method?

- A) To send an HTTP response with JSON data
- B) To send an HTTP response with HTML content
- C) To redirect the client to a new URL
- D) To send a file as an attachment in the HTTP response

Answer: C) To redirect the client to a new URL

52. Which of the following Express.js middleware is used for parsing URL-encoded data?

- A) `express.json()`
- B) `express.urlencoded()`
- C) `express.static()`
- D) `express.session()`

Answer: B) `express.urlencoded()`

53. What is the purpose of the `req.params` object in Express.js?

- A) To access request query parameters
- B) To access request headers
- C) To access URL route parameters
- D) To access request body parameters

Answer: C) To access URL route parameters

54. Which of the following methods is used to handle errors in Express.js middleware?

- A) `app.error()`
- B) `app.useError()`
- C) `app.use()`
- D) `app.handleError()`

Answer: C) `app.use()`

55. In Express.js, what is the purpose of the `res.sendStatus()` method?

- A) To send an HTTP response with a status code
- B) To send an HTTP response with JSON data
- C) To send an HTTP response with HTML content
- D) To send a file as an attachment in the HTTP response

Answer: A) To send an HTTP response with a status code

56. What is middleware in Express.js?

- A) A function that defines routes in Express.js
- B) A function that handles HTTP requests and responses
- C) A function that runs before the route handler and has access to the request and response objects
- D) A function that sets up database connections

Answer: C) A function that runs before the route handler and has access to the request and response objects

57. Which of the following Express.js methods is used to define route parameters?

- A) `app.param()`
- B) `app.route()`
- C) `app.get()`
- D) `app.use()`

Answer: A) `app.param()`

58. What is the purpose of the `next()` function in Express.js middleware?

- A) To end the request-response cycle
- B) To move to the next route handler
- C) To send the response to the client
- D) To start a new request-response cycle

Answer: B) To move to the next route handler

59. What is the purpose of the `res.locals` object in Express.js?

- A) To store request-specific information
- B) To access request headers
- C) To render view templates with local variables
- D) To manipulate request and response objects

Answer: C) To render view templates with local variables

60. Which of the following Express.js methods is used to handle errors?

- A) `app.use()`
- B) `app.error()`
- C) `app.handleError()`
- D) `app.useError()`

Answer: A) `app.use()`

© Copyright **Aryatechno**. All Rights Reserved. Written tutorials and materials by [Aryatechno](#)

ARYATECHNO