Node JS MCQs - 9

Topics : Node js
Written on March 18, 2024

81. Which of the following Express.js methods is used to handle HTTP OPTIONS requests?

   - A) app.options()
   - B) app.get()
   - C) app.post()
   - D) app.delete()

   Answer: A) app.options()

82. What is the purpose of the `express.static()` middleware in Express.js?

   - A) To serve static files such as HTML, CSS, and JavaScript
   - B) To handle authentication
   - C) To manage session data
   - D) To handle routing logic

   Answer: A) To serve static files such as HTML, CSS, and JavaScript

83. Which of the following is a common task performed by middleware in Express.js?

   - A) Defining routes
   - B) Authenticating users
   - C) Rendering views
   - D) Parsing JSON data

   Answer: D) Parsing JSON data

84. What is the purpose of the `res.clearCookie()` method in Express.js?

   - A) To send an HTTP response with JSON data
   - B) To set cookies in the client's browser
   - C) To delete a cookie from the client's browser
   - D) To send a file as an attachment in the HTTP response

   Answer: C) To delete a cookie from the client's browser

85. In Express.js, what is the purpose of the `req.protocol` property?

   - A) To access the request method
   - B) To access the request headers
   - C) To access the request URL
   - D) To access the request protocol (HTTP or HTTPS)

   Answer: D) To access the request protocol (HTTP or HTTPS)

86. Which of the following Express.js methods is used to handle HTTP HEAD requests?

   - A) app.head()
   - B) app.get()
   - C) app.post()
   - D) app.delete()

   Answer: A) app.head()

87. What is the purpose of middleware chaining in Express.js?

   - A) To execute middleware in a specific order
   - B) To combine multiple middleware functions into one
   - C) To handle routing logic
   - D) To manage session data

   Answer: A) To execute middleware in a specific order

88. Which of the following Express.js methods is used to define middleware that is only executed for a specific HTTP method and route?

   - A) app.use()
   - B) app.route()
   - C) router.use()
   - D) router.route()

   Answer: B) app.route()

89. What is the purpose of the `res.setHeader()` method in Express.js?

   - A) To set the HTTP status code of the response
   - B) To set response headers
   - C) To send an HTTP response with JSON data
   - D) To send an HTTP response with HTML content

   Answer: B) To set response headers

90. In Express.js, what does the `req.route` property contain?

   - A) The request method

- B) The request headers
- C) The route parameters
- D) The route object

Answer: D) The route object