

Node JS MCQs - 10

Topics : [Node js](#)

Written on [March 18, 2024](#)

91. What is the purpose of the `res.type()` method in Express.js?

- A) To set the HTTP status code of the response
- B) To set the content type of the response
- C) To send an HTTP response with JSON data
- D) To send an HTTP response with HTML content

Answer: B) To set the content type of the response

92. In Express.js, what is the purpose of the `req.app` property?

- A) To access the application settings
- B) To access the request headers
- C) To access the route object
- D) To access the base URL of the application

Answer: A) To access the application settings

93. Which of the following middleware is commonly used for logging in Express.js?

- A) `express.json()`
- B) `express.static()`
- C) `morgan`
- D) `express-session`

Answer: C) morgan

94. What is the purpose of the `res.jsonp()` method in Express.js?

- A) To send a JSON response with padding
- B) To redirect the client to a new URL
- C) To send an HTTP response with HTML content
- D) To send an HTTP response with JSON data

Answer: A) To send a JSON response with padding

95. In Express.js, what does the `req.subdomains` property contain?

- A) The request method
- B) The request headers
- C) An array of subdomains in the domain name
- D) The route object

Answer: C) An array of subdomains in the domain name

96. What is the purpose of the `res.attachment()` method in Express.js?

- A) To set the HTTP status code of the response
- B) To attach a file to the response
- C) To send an HTTP response with JSON data
- D) To send an HTTP response with HTML content

Answer: B) To attach a file to the response

97. In Express.js, what is the purpose of the `req.xhr` property?

- A) To check if the request is an XMLHttpRequest
- B) To access the request headers
- C) To access the route object
- D) To access the base URL of the application

Answer: A) To check if the request is an XMLHttpRequest

98. Which of the following Express.js methods is used to handle HTTP TRACE requests?

- A) `app.trace()`
- B) `app.get()`
- C) `app.post()`
- D) `app.delete()`

Answer: A) `app.trace()`

99. What is the purpose of the `res.end()` method in Express.js?

- A) To send an HTTP response with JSON data
- B) To end the response process
- C) To set the HTTP status code of the response
- D) To redirect the client to a new URL

Answer: B) To end the response process

100. In Express.js, what is the purpose of the `req.route.path` property?

- A) To access the request method
- B) To access the request headers

- C) To access the route path pattern
- D) To access the route object

Answer: C) To access the route path pattern

© Copyright **Aryatechno**. All Rights Reserved. Written tutorials and materials by [Aryatechno](#)

ARYATECHNO