

## Laravel MCQs - 4

Topics : [Laravel](#)

Written on [March 19, 2024](#)

41. Which artisan command is used to clear the application cache in Laravel?

- A) `php artisan cache:clear`
- B) `php artisan clear:cache`
- C) `php artisan refresh:cache`
- D) `php artisan clear-cache`

Answer: A) `php artisan cache:clear`

42. In Laravel, what is the purpose of the `app/Providers` directory?

- A) To store the application's controllers
- B) To define middleware
- C) To register service providers
- D) To manage database migrations

Answer: C) To register service providers

43. Which of the following is NOT a valid way to include a view in a Blade template in Laravel?

- A) `@include('partials.header')`
- B) `@include('partials/header')`
- C) `@include('partials/header.blade.php')`
- D) `@include('partials.header.blade.php')`

Answer: D) `@include('partials.header.blade.php')`

44. What is the purpose of Laravel's `php artisan route:cache` command?

- A) To cache routes for faster route resolution
- B) To clear cached routes
- C) To cache the entire application
- D) To optimize database queries

Answer: A) To cache routes for faster route resolution

45. Which of the following statements is true about Laravel's Eloquent relationships?

- A) Eloquent relationships can only be defined using foreign keys
- B) Eloquent relationships are not supported in Laravel
- C) Eloquent relationships allow defining relationships between models
- D) Eloquent relationships can only be used with SQLite databases

Answer: C) Eloquent relationships allow defining relationships between models

46. What is the purpose of Laravel's `php artisan make:middleware` command?

- A) To create a new migration file
- B) To create a new controller
- C) To create a new middleware class
- D) To create a new model

Answer: C) To create a new middleware class

47. Which of the following is NOT a valid type of middleware in Laravel?

- A) Global middleware
- B) Route middleware
- C) Group middleware
- D) Model middleware

Answer: D) Model middleware

48. What is the purpose of Laravel's `php artisan down` command?

- A) To stop the Laravel scheduler
- B) To take the application offline for maintenance

C) To remove all routes temporarily

D) To clear the application cache

Answer: B) To take the application offline for maintenance

49. Which of the following is NOT a valid artisan command in Laravel?

A) `php artisan make:model`

B) `php artisan optimize:clear`

C) `php artisan route:list`

D) `php artisan serve`

Answer: B) `php artisan optimize:clear`

50. In Laravel, what is the purpose of the public directory?

A) To store configuration files

B) To store application logic

C) To store publicly accessible files such as CSS, JavaScript, and images

D) To store database backups

Answer: C) To store publicly accessible files such as CSS, JavaScript, and images

© Copyright **Aryatechno**. All Rights Reserved. Written tutorials and materials by [Aryatechno](#)