Laravel MCQs - 5

Topics : Laravel
Written on March 19, 2024

51. Which command is used to create a migration file in Laravel with a specific table name and columns?

    A) `php artisan make:migration create_table_name --fields=name:string,age:integer`

    B) `php artisan make:migration create_table_name --table=name,age`

    C) `php artisan make:migration create_table_name --create=table_name`

    D) `php artisan make:migration create_table_name --schema=name:string,age:integer`

    Answer: D) `php artisan make:migration create_table_name --schema=name:string,age:integer`

52. What is the purpose of Laravel's `php artisan route:clear` command?

    A) To clear the application cache

    B) To clear the route cache

    C) To clear the configuration cache

    D) To clear the session data

    Answer: B) To clear the route cache

53. Which of the following statements is true about Laravel's events and listeners?

    A) Events are responsible for handling HTTP requests

    B) Listeners are responsible for defining database schema

    C) Events are triggered by listeners

    D) Listeners are triggered by events

    Answer: D) Listeners are triggered by events

54. What is the purpose of Laravel's `php artisan make:provider` command?

    A) To create a new middleware provider

    B) To create a new service provider

    C) To create a new event provider

    D) To create a new authentication provider

    Answer: B) To create a new service provider

55. In Laravel, which of the following relationships defines a one-to-many relationship?

    A) `belongsTo()`

    B) `hasOne()`

    C) `hasMany()`

    D) `belongsToMany()`

    Answer: C) `hasMany()`

56. What is the purpose of Laravel's `php artisan make:factory` command?

    A) To create a new model factory

    B) To create a new database migration

    C) To create a new controller factory

    D) To create a new middleware factory

    Answer: A) To create a new model factory

57. Which of the following is NOT a valid HTTP method in Laravel's routing system?

    A) PATCH

    B) DELETE

    C) REDIRECT

    D) OPTIONS

    Answer: C) REDIRECT

58. What is the purpose of Laravel's `php artisan tinker` command?

    A) To run tests for the application

B) To interact with the application's code in an interactive shell

C) To optimize the application's performance

D) To generate API documentation

Answer: B) To interact with the application's code in an interactive shell

59. Which of the following is NOT a valid method to define a route prefix in Laravel?

A) `Route::prefix('admin')`

B) `Route::group(['prefix' => 'admin'])`

C) `Route::setPrefix('admin')`

D) `Route::namespace('admin')`

Answer: C) `Route::setPrefix('admin')`

60. What is the purpose of Laravel's `php artisan make:job` command?

A) To create a new model job

B) To create a new database migration job

C) To create a new controller job

D) To create a new queueable job

Answer: D) To create a new queueable job