

HTML MCQs - 9

Topics : [HTML](#)

Written on [April 22, 2024](#)

1. What is the correct HTML tag for inserting a line break without creating a new paragraph?

- A) <lb>
- B) <break>
- C) <linebreak>
- D)

Answer: D)

Explanation: The
 tag is used to insert a line break in the text without starting a new paragraph.

2. Which HTML tag is used to define a hyperlink to an email address?

- A) <link>
- B) <mailto>
- C) <email>
- D) <a>

Answer: B) <mailto>

Explanation: The <mailto> tag is used to create a hyperlink to an email address in HTML.

3. What is the correct HTML tag for defining the header of a table?

- A) <table-header>
- B) <thead>
- C) <header>
- D) <th>

Answer: B) <thead>

Explanation: The <thead> tag is used to define the header section of a table, containing the table's heading rows.

4. Which HTML tag is used to define a section of quoted text or a citation within a

webpage?

- A) <quote>
- B) <blockquote>
- C) <cite>
- D) <q>

Answer: B) <blockquote>

Explanation: The <blockquote> tag is used to define a section of quoted text or a citation within an HTML document.

5. What is the correct HTML tag for creating a subscript text?

- A) <sub>
- B) <sup>
- C) <subscript>
- D) <s>

Answer: A) <sub>

Explanation: The <sub> tag is used to create subscript text in HTML, typically used for footnotes or mathematical expressions.

6. What is the correct HTML tag for creating a checkbox input field?

- A) <checkbox>
- B) <input type="checkbox">
- C) <checkboxinput>
- D) <input type="check">

Answer: B) <input type="checkbox">

Explanation: The <input> tag with the "type" attribute set to "checkbox" is used to create a checkbox input field in HTML forms.

7. Which HTML attribute is used to specify the source URL of an image?

- A) src
- B) url
- C) link
- D) img-src

Answer: A) src

Explanation: The "src" attribute is used to specify the source URL of an image in the tag.

8. What is the correct HTML tag for defining an unordered list with square bullet points?

- A) <ul type="square">
- B) <ul style="list-style-type: square;">
- C) <ul style="square">
- D)

Answer: B) <ul style="list-style-type: square;">

Explanation: You can use inline CSS with the "list-style-type" property set to "square" to define square bullet points for an unordered list.

9. **Which HTML tag is used to define a keyboard input or user interaction within a webpage?**

- A) <input>
- B) <keyboard>
- C) <key>
- D) <kbd>

Answer: D) <kbd>

Explanation: The <kbd> tag is used to define keyboard input or user interaction within an HTML document, typically rendering text in a monospace font.

10. **What is the correct HTML tag for defining the header for a section, such as a group of navigation links or a heading within a webpage?**

- A) <head>
- B) <header>
- C) <h1>
- D) <section>

Answer: B) <header>

Explanation: The <header> tag is used to define introductory content or a header for a section within an HTML document.