

AngularJS MCQs - 1

Topics : <u>AngularJS</u> Written on <u>April 22, 2024</u>

1. What does MVC stand for in AngularJS architecture?

- $\circ\,$ A) Model View Controller
- $\circ\,$ B) Module View Component
- $\circ\,$ C) Multi View Control
- D) Model View Container

Answer: A) Model View Controller

2. Which directive is used to bind the application data to the HTML view in AngularJS?

- A) ng-model
- B) ng-bind
- \circ C) ng-app
- D) ng-repeat

Answer: B) ng-bind

3. What is the purpose of ng-app directive in AngularJS?

- $\circ\,$ A) It declares the root element of the AngularJS application.
- B) It defines a new module in AngularJS.
- C) It specifies the AngularJS version being used.
- D) It initializes the AngularJS application.

Answer: A) It declares the root element of the AngularJS application.

4. Which AngularJS service is used for making HTTP requests?

- A) \$http
- B) \$ajax
- C) \$request
- D) \$fetch

Answer: A) \$http

5. What is the purpose of ng-controller directive in AngularJS?

- $\circ\,$ A) It defines a new controller in AngularJS.
- $\circ\,$ B) It initializes the AngularJS application.
- $\circ\,$ C) It binds the application data to the HTML view.
- $\circ\,$ D) It specifies the AngularJS version being used.

Answer: A) It defines a new controller in AngularJS.

6. What does \$scope in AngularJS represent?

- $\circ\,$ A) It represents the DOM elements in the AngularJS application.
- $\circ\,$ B) It represents the controllers in the AngularJS application.
- $\circ\,$ C) It represents the global scope of the AngularJS application.
- $\circ\,$ D) It represents the data model in the AngularJS application.

Answer: D) It represents the data model in the AngularJS application.

7. Which directive is used for two-way data binding in AngularJS?

- A) ng-model
- B) ng-bind
- C) ng-repeat
- D) ng-show

Answer: A) ng-model

8. What is the purpose of ng-repeat directive in AngularJS?

- A) It defines a new controller in AngularJS.
- $\circ\,$ B) It repeats a set of HTML elements for each item in a collection.
- $\circ\,$ C) It initializes the AngularJS application.
- $\circ\,$ D) It specifies the AngularJS version being used.

Answer: B) It repeats a set of HTML elements for each item in a collection.

9. Which built-in filter is used for ordering items in AngularJS?

- A) orderBy
- B) filterBy
- C) sort
- D) order

Answer: A) orderBy

10. What is the purpose of ng-show directive in AngularJS?

- $\circ\,$ A) It binds the application data to the HTML view.
- $\circ\,$ B) It repeats a set of HTML elements for each item in a collection.

 $\circ\,$ C) It displays or hides an HTML element based on an expression.

 $\circ\,$ D) It defines a new controller in AngularJS.

Answer: C) It displays or hides an HTML element based on an expression.

© Copyright Aryatechno. All Rights Reserved. Written tutorials and materials by <u>Aryatechno</u>