

## AngularJS MCQs - 2

Topics : [AngularJS](#)

Written on [April 22, 2024](#)

11. Which directive is used to include external HTML templates in AngularJS?

- A) ng-include
- B) ng-template
- C) ng-html
- D) ng-external

**Answer:** A) ng-include

12. What does \$routeProvider do in AngularJS?

- A) It defines routes for navigation in the application.
- B) It provides access to route parameters.
- C) It defines controllers for different routes.
- D) It initializes the AngularJS application.

**Answer:** A) It defines routes for navigation in the application.

13. Which AngularJS directive is used to handle events?

- A) ng-click
- B) ng-model
- C) ng-show
- D) ng-bind

**Answer:** A) ng-click

14. What is the purpose of ng-disabled directive in AngularJS?

- A) It disables data binding for an element.
- B) It disables input fields in a form.
- C) It disables event handling for an element.
- D) It disables an HTML element based on an expression.

**Answer:** D) It disables an HTML element based on an expression.

15. **Which built-in filter is used for filtering items in an array based on a search criteria?**

- A) filter
- B) search
- C) find
- D) match

**Answer:** A) filter

16. **What is the purpose of \$rootScope in AngularJS?**

- A) It represents the root scope of the application.
- B) It represents the scope of a specific controller.
- C) It represents the scope of a specific directive.
- D) It represents the scope of a specific service.

**Answer:** A) It represents the root scope of the application.

17. **Which directive is used to bind HTML content to an AngularJS expression securely?**

- A) ng-bind-html
- B) ng-html-bind
- C) ng-secure-bind
- D) ng-html-bind-secure

**Answer:** A) ng-bind-html

18. **What is the purpose of ng-submit directive in AngularJS?**

- A) It binds a form submission event to a function.
- B) It disables form submission.
- C) It initializes form validation.
- D) It submits a form automatically.

**Answer:** A) It binds a form submission event to a function.

19. **Which AngularJS service is used for communicating between components in AngularJS applications?**

- A) \$rootScope
- B) \$broadcast
- C) \$emit
- D) \$scope

**Answer:** B) \$broadcast

20. **What does \$q service provide in AngularJS?**

- A) It provides methods for making HTTP requests.

- B) It provides methods for managing promises.
- C) It provides methods for routing in the application.
- D) It provides methods for animation.

**Answer:** B) It provides methods for managing promises.

© Copyright **Aryatechno**. All Rights Reserved. Written tutorials and materials by [Aryatechno](#)

ARYATECHNO