

## AngularJS MCQs - 3

Topics : [AngularJS](#)

Written on [April 22, 2024](#)

21. What does ng-cloak directive do in AngularJS?

- A) It hides an element until AngularJS has finished its compilation.
- B) It binds an HTML element to an AngularJS expression.
- C) It initializes the AngularJS application.
- D) It defines a new controller in AngularJS.

**Answer:** A) It hides an element until AngularJS has finished its compilation.

22. Which AngularJS directive is used to loop through a collection and create a new array?

- A) ng-for
- B) ng-repeat
- C) ng-loop
- D) ng-iterate

**Answer:** B) ng-repeat

23. What is the purpose of ng-init directive in AngularJS?

- A) It initializes the AngularJS application.
- B) It initializes the scope variables.
- C) It defines a new controller in AngularJS.
- D) It defines a new module in AngularJS.

**Answer:** B) It initializes the scope variables.

24. Which built-in filter is used for formatting dates in AngularJS?

- A) date
- B) formatDate
- C) dateFormat
- D) formatDate

**Answer:** A) date

25. **What is the purpose of ng-options directive in AngularJS?**

- A) It binds a select element to a model.
- B) It initializes options for a select element.
- C) It initializes the AngularJS application.
- D) It defines a new controller in AngularJS.

**Answer:** A) It binds a select element to a model.

26. **What does ng-change directive do in AngularJS?**

- A) It binds an event handler to an input element that fires when the value of the input changes.
- B) It initializes the AngularJS application.
- C) It hides an element until AngularJS has finished its compilation.
- D) It defines a new controller in AngularJS.

**Answer:** A) It binds an event handler to an input element that fires when the value of the input changes.

27. **Which AngularJS service is used for localization and internationalization of applications?**

- A) \$localize
- B) \$translate
- C) \$i18n
- D) \$locale

**Answer:** B) \$translate

28. **What is the purpose of ng-style directive in AngularJS?**

- A) It binds the style of an element to an expression.
- B) It initializes the AngularJS application.
- C) It defines a new controller in AngularJS.
- D) It hides an element until AngularJS has finished its compilation.

**Answer:** A) It binds the style of an element to an expression.

29. **Which AngularJS service is used for managing browser history?**

- A) \$location
- B) \$browser
- C) \$route
- D) \$history

**Answer:** A) \$location

30. **What is the purpose of ng-readonly directive in AngularJS?**

- A) It makes an element non-editable.
- B) It binds the readonly attribute of an element to an expression.
- C) It hides an element until AngularJS has finished its compilation.
- D) It defines a new controller in AngularJS.

**Answer:** B) It binds the readonly attribute of an element to an expression.

© Copyright **Aryatechno**. All Rights Reserved. Written tutorials and materials by [Aryatechno](#)

ARYATECHNO