

AngularJS MCQs - 5

Topics : [AngularJS](#)

Written on [April 22, 2024](#)

41. Which AngularJS directive is used to dynamically add or remove HTML elements based on an expression?

- A) ng-if
- B) ng-show
- C) ng-hide
- D) ng-switch

Answer: A) ng-if

42. What does ng-keypress directive do in AngularJS?

- A) It binds a key press event to a function.
- B) It initializes the AngularJS application.
- C) It defines a new controller in AngularJS.
- D) It binds a key press event to an input element.

Answer: A) It binds a key press event to a function.

43. Which AngularJS service is used for accessing browser's history and location information?

- A) \$location
- B) \$browser
- C) \$history
- D) \$navigate

Answer: A) \$location

44. What is the purpose of ng-mouseover directive in AngularJS?

- A) It binds a mouseover event to a function.
- B) It initializes the AngularJS application.
- C) It defines a new controller in AngularJS.
- D) It hides an element until AngularJS has finished its compilation.

Answer: A) It binds a mouseover event to a function.

45. **Which AngularJS directive is used to initialize AngularJS applications?**

- A) ng-app
- B) ng-init
- C) ng-controller
- D) ng-model

Answer: A) ng-app

46. **What does ng-blur directive do in AngularJS?**

- A) It binds a blur event to a function.
- B) It initializes the AngularJS application.
- C) It defines a new controller in AngularJS.
- D) It hides an element until AngularJS has finished its compilation.

Answer: A) It binds a blur event to a function.

47. **Which AngularJS service is used for injecting dependencies into controllers, services, and other AngularJS components?**

- A) \$injector
- B) \$provider
- C) \$dependency
- D) \$inject

Answer: A) \$injector

48. **What is the purpose of ng-submit directive in AngularJS?**

- A) It binds a submit event to a function.
- B) It initializes the AngularJS application.
- C) It defines a new controller in AngularJS.
- D) It submits a form automatically.

Answer: A) It binds a submit event to a function.

49. **Which AngularJS directive is used for creating custom directives in AngularJS applications?**

- A) ng-directive
- B) ng-custom
- C) ng-create
- D) ng-directive-name

Answer: D) ng-directive-name

50. **What is the purpose of ng-focus directive in AngularJS?**

- A) It binds a focus event to a function.
- B) It initializes the AngularJS application.
- C) It defines a new controller in AngularJS.
- D) It hides an element until AngularJS has finished its compilation.

Answer: A) It binds a focus event to a function.

© Copyright **Aryatechno**. All Rights Reserved. Written tutorials and materials by [Aryatechno](#)

ARYATECHNO