

AngularJS MCQs - 6

Topics : [AngularJS](#)

Written on [April 22, 2024](#)

51. Which AngularJS directive is used to dynamically change the content of HTML elements based on an expression?

- A) ng-show
- B) ng-bind
- C) ng-if
- D) ng-switch

Answer: D) ng-switch

52. What does ng-controller directive do in AngularJS?

- A) It defines a new controller in AngularJS.
- B) It initializes the AngularJS application.
- C) It binds a controller to a specific HTML element.
- D) It hides an element until AngularJS has finished its compilation.

Answer: C) It binds a controller to a specific HTML element.

53. Which AngularJS service is used for creating custom filters in AngularJS applications?

- A) \$filter
- B) \$customFilter
- C) \$transform
- D) \$modifyFilter

Answer: A) \$filter

54. What is the purpose of ng-model directive in AngularJS?

- A) It binds the application data to the HTML view.
- B) It initializes the AngularJS application.
- C) It defines a new controller in AngularJS.
- D) It initializes the scope variables.

Answer: A) It binds the application data to the HTML view.

55. **Which AngularJS service is used for providing animations in AngularJS applications?**

- A) \$animate
- B) \$animation
- C) \$angularAnimate
- D) \$animationService

Answer: A) \$animate

56. **What does ng-view directive do in AngularJS?**

- A) It defines a new controller in AngularJS.
- B) It initializes the AngularJS application.
- C) It hides an element until AngularJS has finished its compilation.
- D) It specifies where to render templates for different routes.

Answer: D) It specifies where to render templates for different routes.

57. **Which AngularJS service is used for intercepting HTTP requests and responses?**

- A) \$httpInterceptor
- B) \$httpInterceptorProvider
- C) \$http
- D) \$httpProvider

Answer: A) \$httpInterceptor

58. **What is the purpose of ng-transclude directive in AngularJS?**

- A) It initializes the AngularJS application.
- B) It defines a new controller in AngularJS.
- C) It specifies where to insert content from a transcluded directive.
- D) It hides an element until AngularJS has finished its compilation.

Answer: C) It specifies where to insert content from a transcluded directive.

59. **Which AngularJS service is used for mocking HTTP requests in unit tests?**

- A) \$httpBackend
- B) \$httpMock
- C) \$httpFake
- D) \$httpTest

Answer: A) \$httpBackend

60. **What is the purpose of ng-non-bindable directive in AngularJS?**

- A) It prevents AngularJS from compiling the contents of an element.
- B) It defines a new controller in AngularJS.

- C) It initializes the AngularJS application.
- D) It hides an element until AngularJS has finished its compilation.

Answer: A) It prevents AngularJS from compiling the contents of an element.

© Copyright **Aryatechno**. All Rights Reserved. Written tutorials and materials by [Aryatechno](#)

ARYATECHNO