

AngularJS MCQs - 9

Topics : [AngularJS](#)

Written on [April 22, 2024](#)

81. What does ng-copy directive do in AngularJS?

- A) It binds a copy event to a function.
- B) It initializes the AngularJS application.
- C) It defines a new controller in AngularJS.
- D) It hides an element until AngularJS has finished its compilation.

Answer: A) It binds a copy event to a function.

82. Which AngularJS service is used for managing browser cookies manipulation?

- A) \$cookies
- B) \$cookieStore
- C) \$browser
- D) \$cookie

Answer: A) \$cookies

83. What is the purpose of ng-hide directive in AngularJS?

- A) It hides an HTML element.
- B) It initializes the AngularJS application.
- C) It defines a new controller in AngularJS.
- D) It binds CSS classes to HTML elements based on expression evaluation.

Answer: A) It hides an HTML element.

84. Which AngularJS service is used for broadcasting events to child scopes?

- A) \$broadcast
- B) \$emit
- C) \$on
- D) \$watch

Answer: A) \$broadcast

85. **What is the purpose of ng-checked directive in AngularJS?**

- A) It binds the checked state of an input element to an expression.
- B) It initializes the AngularJS application.
- C) It defines a new controller in AngularJS.
- D) It hides an element until AngularJS has finished its compilation.

Answer: A) It binds the checked state of an input element to an expression.

86. **What does ng-swipe directive do in AngularJS?**

- A) It binds a swipe event to a function.
- B) It initializes the AngularJS application.
- C) It defines a new controller in AngularJS.
- D) It hides an element until AngularJS has finished its compilation.

Answer: A) It binds a swipe event to a function.

87. **Which AngularJS service is used for making WebSocket requests?**

- A) \$websocket
- B) \$ws
- C) \$socket
- D) \$webSocket

Answer: A) \$websocket

88. **What is the purpose of ng-readonly directive in AngularJS?**

- A) It disables data binding for an element.
- B) It disables input fields in a form.
- C) It disables event handling for an element.
- D) It disables an HTML element based on an expression.

Answer: D) It disables an HTML element based on an expression.

89. **Which AngularJS service is used for managing browser history and location information?**

- A) \$location
- B) \$history
- C) \$navigate
- D) \$browser

Answer: A) \$location

90. **What is the purpose of ng-touch directive in AngularJS?**

- A) It enables touch events in AngularJS applications.

- B) It initializes the AngularJS application.
- C) It defines a new controller in AngularJS.
- D) It hides an element until AngularJS has finished its compilation.

Answer: A) It enables touch events in AngularJS applications.

© Copyright **Aryatechno**. All Rights Reserved. Written tutorials and materials by [Aryatechno](#)

ARYATECHNO