

React JS MCQs 2

Topics : [React JS](#)

Written on [May 10, 2024](#)

11. What is the purpose of keys in React lists?

- a) To uniquely identify list items and help React identify which items have changed, added, or removed **(Correct Answer)**
- b) To apply styling to list items
- c) To determine the order of list items
- d) Keys are not used in React lists

12. Which method is used to conditionally render components in React?

- a) renderIf()
- b) renderConditionally()
- c) render() method with if-else statements
- d) render() method with conditional rendering syntax like ternary operators or logical && **(Correct Answer)**

13. What is the purpose of PropTypes in React?

- a) To define types for React components
- b) To specify default values for props
- c) To validate the props passed to a component **(Correct Answer)**
- d) PropTypes are not used in React

14. Which of the following is used to manage state across multiple components in React?

- a) Redux **(Correct Answer)**
- b) useState hook
- c) Context API
- d) Props drilling

15. In React, what is the recommended way to perform side effects such as data fetching or DOM manipulation?

- a) Inside the constructor of the component
- b) Inside the render method
- c) Using lifecycle methods like componentDidMount() or useEffect() hook **(Correct Answer)**
- d) Using setTimeout()

16. Which of the following is true about PureComponent in React?

- a) It is deprecated in favor of functional components
- b) It automatically implements shouldComponentUpdate() with a shallow prop and state comparison **(Correct Answer)**
- c) It is used for defining stateful components
- d) It is used for server-side rendering in React

17. What is the purpose of the ref attribute in React?

- a) To reference an external JavaScript file
- b) To create a reference to a DOM element or a React component instance **(Correct Answer)**
- c) To define the relative path of a component
- d) To specify the location of a resource

18. Which method is called after the component is updated and the DOM has been re-rendered in React?

- a) componentDidUpdate() **(Correct Answer)**
- b) componentWillUpdate()
- c) componentWillMount()
- d) componentDidMount()

19. What is the purpose of React Fragments?

- a) To create virtual DOM elements
- b) To improve performance by reducing unnecessary re-renders
- c) To group multiple children without adding extra nodes to the DOM **(Correct Answer)**
- d) To apply animations to React components

20. Which of the following is NOT a hook provided by React?

- a) useState()
- b) useEffect()
- c) useContext()
- d) createClass()