

# MongoDB - Connection

Topics : [MongoDB](#)

Written on [December 30, 2023](#)

Connecting to MongoDB involves establishing a connection between your application and the MongoDB server. The connection is typically established using a MongoDB driver, which is a library or module specific to the programming language you are using. Below are general steps for connecting to MongoDB using various programming languages.

## Connection in Node.js (Using mongodb Node.js Driver):

### 1. Install the MongoDB Driver:

```
npm install mongodb
```

### 2. Create a Connection:

```
const { MongoClient } = require('mongodb');

// Connection URI
const uri = 'mongodb+srv://<username>:<password>@<cluster-
address>/test?retryWrites=true&w=majority';

// Create a new MongoClient
const client = new MongoClient(uri, { useNewUrlParser: true,
useUnifiedTopology: true });

// Connect to the MongoDB server
client.connect().then(() => {
  console.log('Connected to MongoDB');
  // Perform operations here
}).catch(err => console.error(err));
```

## Connection in Python (Using pymongo Python Driver):

### 1. Install the MongoDB Driver:

```
pip install pymongo
```

## 2. Create a Connection:

```
from pymongo import MongoClient

# Connection URI
uri = "mongodb+srv://<username>:<password>@<cluster-
address>/test?retryWrites=true&w=majority"

# Create a MongoClient
client = MongoClient(uri)

# Get a reference to the database
db = client.test
```

## Connection in Java (Using Java Driver):

### 1. Add Dependency (Maven):

```
<dependency>
  <groupId>org.mongodb</groupId>
  <artifactId>mongodb-driver-sync</artifactId>
  <version>4.4.3</version>
</dependency>
```

### 2. Create a Connection:

```
import com.mongodb.client.MongoClients;
import com.mongodb.client.MongoClient;
import com.mongodb.client.MongoDatabase;

// Connection URI
String uri = "mongodb+srv://<username>:<password>@<cluster-
address>/test?retryWrites=true&w=majority";

// Create a MongoClient
MongoClient mongoClient = MongoClients.create(uri);

// Get a reference to the database
MongoDatabase database = mongoClient.getDatabase("test");
```

## Connection in C# (Using MongoDB.Driver .NET Driver):

### 1. Add NuGet Package:

```
Install-Package MongoDB.Driver
```

## 2. Create a Connection:

```
using MongoDB.Driver;

// Connection URI
string uri = "mongodb+srv://<username>:<password>@<cluster-
address>/test?retryWrites=true&w=majority";

// Create a MongoClient
var client = new MongoClient(uri);

// Get a reference to the database
var database = client.GetDatabase("test");
```

Replace <username>, <password>, and <cluster-address> with your MongoDB Atlas cluster's credentials.

© Copyright **Aryatechno**. All Rights Reserved. Written tutorials and materials by [Aryatechno](#)